

IN THE CLAIMS

Please amend the claims as follows:

Claim 1 (Currently Amended): A polycarbonate resin composition comprising a resin mixture of component (A) ~~which is composed of~~ comprising (A-1) 10 to 100 mass% of an aromatic polycarbonate resin wherein dihydroxybiphenyl is used in a part of a divalent phenol as the raw material thereof and (A-2) 90 to 0 mass% of an aromatic polycarbonate resin other than the aromatic polycarbonate resin of component (A-1), and an amorphous styrene resin (B), in a mass ratio of component (A) to component (B) of 50 : 50 to 95 : 5.

Claim 2 (Currently Amended): The polycarbonate resin composition according to claim 1, wherein the amorphous styrene resin of component (B) is a copolymer of a (poly)styrene ~~which~~ that is polymerized in the presence or absence of a rubber-like polymer and at least one kind selected from acrylonitrile and methyl methacrylate.

Claim 3 (Currently Amended): The polycarbonate resin composition according to claim 1 ~~or~~ 2, wherein the aromatic polycarbonate resin of component (A-2) is an aromatic polycarbonate resin containing polyorganosiloxane.

Claim 4 (Original): The polycarbonate resin composition according to claim 3, wherein the polyorganosiloxane in the aromatic polycarbonate resin containing polyorganosiloxane is polydimethylsiloxane.

Claim 5 (Currently Amended): The polycarbonate resin composition according to ~~any of claims 1 to 4, which contains~~ claim 1, further comprising an inorganic filler (C) in an

amount of 1 to 20 parts by mass with respect to 100 parts by mass of the sum of component (A) and component (B).

Claim 6 (Currently Amended): The polycarbonate resin composition according to ~~any of claims 1 to 5, which contains~~ claim 1, further comprising an impact resistance improver (D) in an amount of 1 to 15 parts by mass with respect to 100 parts by mass of the sum of component (A) and component (B).

Claim 7 (Currently Amended): The polycarbonate resin composition according to ~~claim 1 or 2, which contains~~ further comprising at least one kind of component selected from organic alkali metal salts and organic alkaline earth metal salts (E) in an amount of 0.05 to 2 parts by mass with respect to 100 parts by mass of the sum of component (A) and component (B).

Claim 8 (Original): The polycarbonate resin composition according to claim 7, wherein component (E) is at least one kind selected from alkali metal sulfonate, alkaline earth metal sulfonate, alkali metal polystyrene sulfonate, and alkaline earth metal polystyrene sulfonate.

Claim 9 (Currently Amended): The polycarbonate resin composition according to ~~claim 7 or 8, which contains~~ further comprising an inorganic filler (C) in an amount of 1 to 20 parts by mass with respect to 100 parts by mass of the sum of component (A) and component (B).

Claim 10 (Currently Amended): The polycarbonate resin composition according to ~~any of claims 7 to 9, which contains~~ claim 7, further comprising an impact resistance improver (D) in an amount of 1 to 15 parts by mass with respect to 100 parts by mass of the sum of component (A) and component (B).

Claim 11 (Currently Amended): An injection-molded article made of the polycarbonate resin composition according to ~~any of claims 1 to 10~~ claim 1.